

## CHROMIX® L25- MEDIUM RED

Version 1.5

06/28/2006

### 1. PRODUCT AND COMPANY INFORMATION

Company	:	<b>BASF Corporation</b> 23700 Chagrin Blvd BEACHWOOD, OH 44122
Telephone	:	216-839-7500
Emergency telephone number	:	(800) 424-9300 (703) 527-3887 (Outside Continental US)
Product name	:	CHROMIX® L25- MEDIUM RED
MSDS ID No.	:	11507
TSCA Inventory	:	All components of this product are included, or are exempt from inclusion, in the EPA Toxic Substances Control Act (TSCA) Chemical Substance Inventory.
Canadian DSL	:	All components of this product are included, or are exempt from inclusion, in the Canadian Domestic Substance List (DSL).

### 2. HAZARDOUS INGREDIENTS

Does not contain hazardous chemicals as defined by 29 CFR 1910.1200 and WHMIS.

### 3. HAZARDS IDENTIFICATION

HMIS® Rating	HEALTH	FLAMMABILITY	PHYSICAL HAZARD
	1	0	0

WHMIS Class	:	D2B
Primary Routes of Entry	:	Eye contact Skin contact

#### Effects of Overexposure

Inhalation	:	No hazard anticipated in normal industrial use.
Skin	:	Can cause slight irritation.
Eyes	:	Can cause slight irritation, redness, tearing and blurred vision.
Ingestion	:	Amounts ingested incidental to industrial handling are not expected to cause injury. Greater amounts can cause gastrointestinal irritation, nausea and vomiting.

### 4. FIRST AID MEASURES

## CHROMIX® L25- MEDIUM RED

Version 1.5

06/28/2006

Eye contact	:	Flush eyes with water, lifting upper and lower lids occasionally for 15 minutes. Seek medical attention.
Skin contact	:	Remove contaminated clothing. Wash thoroughly with soap and water. If irritation persists seek medical attention. Wash contaminated clothing before reuse.
Ingestion	:	DO NOT INDUCE VOMITING! Call a physician immediately. Never give anything by mouth to an unconscious person.
Inhalation	:	Remove victim from exposure. If difficulty with breathing, administer oxygen. If breathing has stopped administer artificial respiration, preferably mouth-to-mouth. Seek immediate medical attention.

---

### 5. FIRE-FIGHTING MEASURES

---

Flash point	:	not applicable
Autoignition temperature	:	Not combustible.
Lower explosion limit	:	not applicable
Upper explosion limit	:	not applicable
Suitable extinguishing media	:	No information available.
Fire and Explosion Hazards	:	Containers can build up pressure if exposed to heat (fire). Cool closed containers exposed to fire with water spray.
Protective equipment	:	As in any fire, wear pressure demand self-contained breathing apparatus (NIOSH approved or equivalent) and full protective gear.
Special Fire-fighting Procedures	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

---

### 6. ACCIDENTAL RELEASE MEASURES

---

Methods for cleaning up	:	Wear appropriate protective equipment. Take action to eliminate source of leak; contain spill by diking; vacuum up liquid or use absorbent media; remove to storage for disposal and rinse residual stain with water.
-------------------------	---	---

---

### 7. HANDLING AND STORAGE

---

Handling	:	Keep out of reach of children. Wear personal protective equipment (refer to section 8). Provide sufficient air exchange and/or exhaust in work rooms.
Storage	:	Keep in a dry, cool and well-ventilated place.

---

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

---

Eye protection	:	Wear as appropriate:
----------------	---	----------------------

## CHROMIX® L25- MEDIUM RED

Version 1.5

06/28/2006

		safety glasses with side-shields goggles
Hand protection	:	Wear as appropriate: Wear Chemically resistant gloves.
Body Protection	:	Wear as appropriate: impervious clothing
Respiratory protection	:	When workers are facing concentrations above the exposure limit they must use NIOSH approved respirators. In case of insufficient ventilation wear suitable respiratory equipment.
Hygienic Practices	:	Avoid contact with skin, eyes and clothing. Handle in accordance with good industrial hygiene and safety practice. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product.
Engineering Controls	:	Ventilation is recommended. Air movement must be designed to insure turnover at all locations in work area to avoid build up of airborne dust concentrations.

---

## 9. PHYSICAL AND CHEMICAL PROPERTIES

---

Color	:	red
Physical State	:	liquid
Odor	:	mild
pH	:	9.0 - 9.5
Odor Threshold	:	no data available
Vapor Pressure	:	not applicable
Vapor Density	:	Heavier than air
Boiling point/range	:	not applicable
Freeze Point	:	32 °F (0 °C)
Water solubility	:	not applicable
Specific Gravity	:	1.87
Viscosity	:	no data available
Evaporation rate	:	no data available
Partition coefficient (n-octanol/water)	:	no data available
VOC Concentration as applied (less water and exempt solvents)	:	0 g/l

**CHROMIX® L25- MEDIUM RED**

Version 1.5

06/28/2006

**10. STABILITY AND REACTIVITY**

Stability : Stable under normal conditions.

Conditions to avoid : no data available

Materials to avoid : Incompatible with strong acids and oxidizing agents.  
reducing agents

Hazardous decomposition products : no data available

Hazardous polymerization : Will not occur under normal conditions.

**11. TOXICOLOGICAL INFORMATION**

**Acute inhalation toxicity**

<u>Product</u>	<u>Type</u>	<u>Value</u>	<u>Species</u>	<u>Exposure time</u>
	LC50	no data available		

**Acute oral toxicity**

<u>Product</u>	<u>Type</u>	<u>Value</u>	<u>Species</u>
	LD50 (Oral)	no data available	

**Acute dermal toxicity**

<u>Product</u>	<u>Type</u>	<u>Value</u>	<u>Species</u>
	LD50 (Dermal)	no data available	

**12. ECOLOGICAL INFORMATION**

Ecotoxicological Information : no data available

**13. DISPOSAL CONSIDERATIONS**

Recommendations: Use excess product in an alternate beneficial application. Handle disposal of waste material in manner which complies with local, state, province and federal regulation.

**14. TRANSPORT INFORMATION**

DOT : Proper shipping name Not regulated

**CHROMIX® L25- MEDIUM RED**

Version 1.5

06/28/2006

IATA : Proper shipping name Not regulated

**15. REGULATORY INFORMATION**

**SARA 311/312 (RTK)**

This product has been reviewed according to the EPA 'Hazard Categories' promulgated under Sections 311 and 312 of the Superfund Amendments and Reauthorization Act of 1986 (SARA Title III) and is considered, under applicable definitions, to meet the following categories:

IMMEDIATE (ACUTE) HEALTH HAZARD

**SARA 313**

This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372:

This product contains no chemicals subject to the SARA 313 supplier notification requirements.

**CERCLA**

CERCLA section 103(a) specifically requires the person in charge of a vessel or facility to report immediately to the National Response Center (NRC) a release of a hazardous substance whose amount equals or exceeds the assigned RQ. The following hazardous substances are contained in this product.

<u>RQ</u>	<u>CAS No.</u>	<u>Chemical Name</u>
-----------	----------------	----------------------

No CERCLA chemicals exist in this product above reportable concentrations.

**TSCA Section 12(b) Export Notification**

This product contains the following chemical substances subject to the reporting requirements of TSCA 12(b) if exported from the United States:

<u>CAS No.</u>	<u>Chemical Name</u>
----------------	----------------------

There are no TSCA 12(b) Chemicals in this product.

**California Proposition 65**

The chemical(s) noted below and contained in this product, are known to the state of California to cause cancer, birth defects or other reproductive harm. Unless otherwise specified in Section 2 of this MSDS, these chemicals are present at < 0.1%:

<u>CAS No.</u>	<u>Chemical Name</u>
7440-43-9	CADMIUM
7440-47-3	CHROMIUM
7440-38-2	ARSENIC

**16. OTHER INFORMATION**

Legend : N.E. - Not Established  
 TLV - Threshold Limit Value  
 STEL - Short Term Exposure Limit  
 PEL - Permissible Exposure Limit  
 CEIL - Ceiling



The Chemical Company

## CHROMIX® L25- MEDIUM RED

Version 1.5

06/28/2006

Prepared By : Environment, Health and Safety Department

This information is furnished without warranty, representation, or license of any kind, except that this information is accurate to the best of the manufacturer's knowledge, or is obtained from sources believed by the manufacturer to be accurate and is not intended to be all inclusive. No warranty is expressed or implied regarding the accuracy of this information or the results to be obtained from its use thereof. The manufacturer assumes no responsibility for injuries proximately caused by use of the Material if reasonable safety procedures are not followed as stipulated in this Data Sheet. Additionally, the manufacturer assumes no responsibility for injuries proximately caused by abnormal use of the Material even if reasonable safety procedures are followed. Buyer assumes the risk in its use of the Material.

End of MSDS.