

**W. R. GRACE**  
**MATERIAL SAFETY DATA SHEET**

Product Name: Eclipse Floor  
MSDS ID Number: D-06207

MSDS Date: 12/08/2006

---

**SECTION 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION**

**Product Name:** Eclipse Floor  
**MSDS Number:** D-06207  
**Cancelled MSDS Number:** D-05661  
**MSDS Date:** 12/08/2006  
**Chemical Family Name:** Aliphatic Propylene Glycol Ethers.  
**Product Use:** Concrete Shrinkage Reduction Admixture  
**Chemical Formula:** Mixture-NA  
**CAS # (Chemical Abstracts Service Number):** Mixture-NA

**Manufactured by:**

W.R.Grace & Co.-Conn.  
62 Whittemore Avenue  
Cambridge, MA 02140

Grace Canada, Inc.  
294 Clements Road West  
Ajax, Ontario L1S 3C6

**In Case of Emergency Call:**

In USA: (617) 876-1400 In Canada: (905) 683-8561

---

**SECTION 2 - COMPOSITION/INFORMATION ON INGREDIENTS**

<b>Ingredient</b>	<b>CAS#</b>	<b>Percent (max)</b>
Dipropylene glycol	025265-71-8	50-100
Dipropylene Glycol Di-Tert-Butyl Ether	069506-59-8	1-10
Propanol, [2-(1,1-dimethylethoxy)methylethoxy]-	132739-31-2	50-100

---

**SECTION 3 - HAZARDS IDENTIFICATION**

**Emergency Overview:**

**Caution!**

Causes eye irritation  
Causes skin irritation.  
Inhalation of vapors can be harmful.  
Use with adequate ventilation.  
Forced ventilation required for some application  
Vapor and liquid are combustible above 205°F

**W. R. GRACE**  
**MATERIAL SAFETY DATA SHEET**

Product Name: Eclipse Floor (CR-397)  
MSDS ID Number: D-05661

MSDS Date: 11/18/2003

---

**HMIS Rating:**

Health:	1
Flammability:	1
Reactivity:	0
Personal Protective Equipment:	B (See Section 8)

**Potential Health Effects:**

**Inhalation:**

Vapor may cause irritation of the nose, throat and respiratory tract. Vapor can accumulate in confined spaces and poorly ventilated areas causing headache, nausea and drowsiness.

**Eye Contact:**

Contact may cause irritation resulting in burning, tearing, redness and swelling. Vapor may cause eye irritation.

**Skin Contact:**

Skin contact causes irritation.

**Skin Absorption:**

Not expected to be harmful if absorbed through the skin.

**Ingestion:**

May cause irritation to the linings of the mouth, esophagus, and stomach.

Ingestion of large quantities may cause slight health hazard.

---

**SECTION 4 - FIRST AID MEASURES:**

**Skin Contact:**

Wash with soap and water.

If discomfort or irritation persists, consult a physician.

Remove contaminated clothing and wash before reuse.

**Eye Contact:**

Flush eyes with water for at least 15 minutes while holding eyelids open.

Get immediate medical attention.

**Ingestion:**

Do not induce vomiting.

Never give anything by mouth to an unconscious person.

If discomfort or irritation persists, consult a physician.

**W. R. GRACE**  
**MATERIAL SAFETY DATA SHEET**

Product Name: Eclipse Floor (CR-397)  
MSDS ID Number: D-05661

MSDS Date: 11/18/2003

---

**Inhalation:**

If symptoms develop, get fresh air. If symptoms persist, consult a physician.  
If breathing has stopped, give artificial respiration then oxygen if needed.

---

**SECTION 5 - FIRE AND EXPLOSION HAZARD DATA**

<b>Flash Point:</b>	205°F
<b>Flash Point Method:</b>	Pensky Marten Closed Cup
<b>Lower Explosion Limit:</b>	Not Available
<b>Upper Explosion Limit:</b>	Not Available
<b>Auto-Ignition Temperature:</b>	Not Available

**NFPA Rating:**

<b>Health:</b>	1
<b>Flammability:</b>	1
<b>Reactivity:</b>	0

**Extinguishing Media:** In case of fire, use water spray, dry chemical, Carbon dioxide or foam.

**Special Fire Fighting Procedures:**

Wear self-contained breathing apparatus and complete personal protective equipment when potential for exposure to vapors or products of combustion exist. Water may be used to cool containers to prevent pressure build-up and possible auto-ignition or explosion. Avoid breathing hazardous vapors or products of combustion, keep upwind. Isolate area and keep unnecessary people away. Prevent run-off from fire control or dilution from entering streams or drinking water supplies.

No special procedures specific to this product.

**Unusual Fire and Explosion Hazards:**

When mixed with air and exposed to an ignition source, vapors can burn in open air or explode in confined spaces. Vapors are heavier than air and may travel along ground to ignition sources such as electrical equipment, smoking materials, welding equipment, and pilot lights. Do not cut, drill, grind or weld on or near container whether empty or full. Keep container closed except when in use. Heat from fire can generate flammable vapor. May ignite at temperatures below auto-ignition and normal flash point.

**W. R. GRACE**  
**MATERIAL SAFETY DATA SHEET**

Product Name: Eclipse Floor (CR-397)  
MSDS ID Number: D-05661

MSDS Date: 11/18/2003

---

**SECTION 6 - ACCIDENTAL RELEASE MEASURES:**

**Spills/Leaks:**

Use proper personal protective equipment. Do not flush to sewer or allow to enter waterways. Keep unnecessary people away.  
Contain and/or absorb spill with inert material (i.e. sand, vermiculite) then place in a suitable container. For large spills, dike area and pump waste material into closed containers for disposal or reclamation.

---

**SECTION 7 - HANDLING AND STORAGE**

**Precautionary Measures:**

Avoid contact with eyes, skin and clothing.  
Practice good personal hygiene to avoid ingestion.  
Use only with adequate ventilation.  
Below grade and other applications with poor natural ventilation require forced ventilation and use of respiratory protection.  
Keep container closed tightly when not in use to avoid unnecessary release of vapors and to prevent spills.  
Do not cut, drill or weld on or near containers whether full or empty. Vapor and liquid may be combustible if heated above 205°F. Residue may ignite causing fire/explosion.  
Wash clothing before reuse.  
**FOR PROFESSIONAL USE ONLY. KEEP OUT OF CHILDREN'S REACH.**

---

**SECTION 8 - EXPOSURE CONTROLS AND PERSONAL PROTECTIVE EQUIPMENT**

**EXPOSURE GUIDELINES (US)**

Ingredient	ACGIH TLV			OSHA PEL			Other
	TWA	STEL	Ceiling	TWA	STEL	Ceiling	
Dipropylene glycol	-	-	-	-	-	-	-
Dipropylene Glycol Di-Tert-Butyl Ether	-	-	-	-	-	-	-
Propanol, [2-(1,1-dimethylethoxy)methylethoxy]-	-	-	-	-	-	-	-

**EXPOSURE GUIDELINES (CANADA)**

Employers should consult local Provincial regulatory limits for exposure guidelines, which may vary locally.

# W. R. GRACE

## MATERIAL SAFETY DATA SHEET

Product Name: Eclipse Floor (CR-397)

MSDS ID Number: D-05661

MSDS Date: 11/18/2003

**Engineering Controls:** Not generally required during normal use. Fans and other methods to improve general ventilation and increase exchange of fresh air are recommended if odor is irritating or objectionable. Exhaust fans or other methods to improve ventilation are required below grade and other poorly ventilated applications. (Contact your Grace sales representative for additional information).

**Personal Protective Equipment:**

**Respiratory Protection:** Respiratory protection is not normally required when product is used in exterior applications. However, a chemical cartridge respirator with organic vapor cartridge is recommended if odor is irritating or objectionable. A respirator would be required in below grade and other poorly ventilated applications. A chemical cartridge respirator with organic vapor cartridge and a prefilter for dust/mist is recommended during Shot Crete applications. (Contact your Grace sales representative for additional information.)

**Skin Protection:** Rubber or other impervious gloves should be worn to prevent skin contact.

**Eye Protection:** At minimum, safety glasses with side shields should be worn where exposure to excessive dust or spray is likely.

**Work/Hygienic Practices:** Use good personal hygiene practices. None beyond those noted above.

### **SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES**

<b>Physical State:</b>	Liquid
<b>Appearance/Odor:</b>	Clear, colorless liquid; ether-like odor.
<b>Odor Threshold: (ppm)</b>	Not Available
<b>pH:</b>	~7
<b>Vapor Pressure: (Mm Hg)</b>	<0.1mm Hg @ 68°F
<b>Vapor Density: (Air = 1)</b>	Not Available
<b>Solubility In Water:</b>	~15% @ 70°F
<b>Specific Gravity: (Water = 1)</b>	0.96 @ 77°F
<b>Evaporation Rate: (Butyl Acetate = 1)</b>	~0.02
<b>Boiling Point:</b>	~426°F @ 760mm Hg
<b>Viscosity:</b>	Unknown
<b>Bulk Density: (Pounds/Cubic Foot)(Pcf)</b>	Not Applicable
<b>% Volatiles (gr/L): (70°F) (21°C)</b>	100 %

**W. R. GRACE**  
**MATERIAL SAFETY DATA SHEET**

Product Name: Eclipse Floor (CR-397)  
MSDS ID Number: D-05661

MSDS Date: 11/18/2003

---

**SECTION 10 - STABILITY AND REACTIVITY**

**Chemical Stability:** Stable  
**Conditions To Avoid:** None known for this product.  
**Hazardous Polymerization:** Will not polymerize.  
**Hazardous Decomposition** None known for this product.  
**Products:**

---

**SECTION 11 - TOXICOLOGICAL INFORMATION**

**Ingredient(No data unless listed.)**                      **CAS Number**                      **LD50 and LC50**  
Dipropylene glycol                                      025265-71-8                                      Oral LD50 Rat: 14850 mg/kg;  
Dermal LD50 Rabbit: >20 mL/kg

**Carcinogenicity:**

Ingredient	IARC Group 1	IARC Group 2A	IARC Group 2B	NTP Known	NTP Suspect	OSHA
Dipropylene glycol	No	No	No	No	No	No
Dipropylene Glycol Di-Tert-Butyl Ether	No	No	No	No	No	No
Propanol, [2-(1,1-dimethylethoxy)methylethoxy]-	No	No	No	No	No	No

**Mutagenicity:** Not applicable.  
**Teratogenicity:** Not applicable.  
**Reproductive Toxicity:** Not applicable.

---

**SECTION 12 - ECOLOGICAL INFORMATION**

**Environmental Fate:** No data available for product.  
**Ecotoxicity:** No data available for product.

---

**SECTION 13 - DISPOSAL CONSIDERATIONS**

**Waste Disposal Procedures:**  
Consult all regulations (federal, state, provincial, local) or a qualified waste disposal firm when characterizing waste for disposal. According to EPA (40 CFR § 261), waste of this product is not defined as hazardous. Dispose of waste in accordance with all applicable regulations.

**W. R. GRACE**  
**MATERIAL SAFETY DATA SHEET**

Product Name: Eclipse Floor (CR-397)  
MSDS ID Number: D-05661

MSDS Date: 11/18/2003

---

**SECTION 14 - TRANSPORTATION INFORMATION**

<b>Proper Shipping Name:</b>	Not Applicable
<b>UN/NA Number:</b>	Not Applicable
<b>Domestic Hazard Class:</b>	Nonhazardous
<b>Surface Freight Classification:</b>	Concrete Plasticizer
<b>Label/Placard Required:</b>	Not Applicable

---

**SECTION 15 - REGULATORY INFORMATION**

**REGULATORY CHEMICAL LISTS:**

**CERCLA (Comprehensive Response Compensation and Liability Act):**  
**(None present unless listed below)**

<u>Chemical Name</u>	<u>CAS #</u>	<u>Wt %</u>	<u>CERCLA RQ</u>
----------------------	--------------	-------------	------------------

**SARA Title III (Superfund Amendments and Reauthorization Act)**

**SARA Section 312/Tier I & II Hazard Categories:**

Health Immediate (acute)	Yes
Health Delayed (chronic)	No
Flammable	No
Reactive	No
Pressure	No

**302 Reportable Ingredients (Identification Threshold 1%):**

<u>Chemical Name</u>	<u>CAS #</u>	<u>Wt %</u>	<u>SARA 302 TPQ</u>
----------------------	--------------	-------------	-------------------------

**313 Reportable Ingredients (Chemicals present below reporting threshold are exempt):**

<u>Chemical Name</u>	<u>CAS #</u>	<u>Wt %</u>
----------------------	--------------	-------------

**National Volatile Organic Compound Emission Standards For Architectural Coatings:**

**Volatile Organic Content:** (gr/L) Not Applicable

**WHMIS Classification(s):** D2 B

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR). This MSDS contains all the information required by the CPR.

# W. R. GRACE

## MATERIAL SAFETY DATA SHEET

Product Name: Eclipse Floor (CR-397)

MSDS ID Number: D-05661

MSDS Date: 11/18/2003

### State Regulatory Information:

**California Proposition 65:** This product does not contain substances known to the state of California to cause cancer, birth defects or other reproductive harm.

### Massachusetts Hazardous Substance List(Identification threshold 0.001%(1ppm)):

Chemical Name CAS # Wt %

### New Jersey Hazardous Substance List(Identification threshold (0.1%)):

Chemical Name CAS # Wt %

### Pennsylvania Hazardous Substance List(Identification threshold 0.01%):

Chemical Name CAS # Wt %

### CHEMICAL INVENTORY STATUS:

All chemicals in this product are listed or exempt from listing in the following countries:

US	CANADA		EUROPE	AUSTRALIA	JAPAN	KOREA	PHILIPPINES
TSCA	DSL	NDSL	EINECS/ELINCS	AICS	ENCS	ECL	PICCS
Yes	Yes	No	Yes	Yes	Yes	Yes	Yes

### SECTION 16 - OTHER INFORMATION

#### Non-Hazardous Ingredient Disclosure:

Chemical Name

CAS Number

Prepared by: EH&S Department

Approved by: EH&S Department

Approved Date: 12/08/2006

#### Disclaimer:

"The data included herein are presented in accordance with various environment, health and safety regulations. It is the responsibility of a recipient of the data to remain currently informed on chemical hazard information, to design and update its own program and to comply with all national, federal, state and local laws and regulations applicable to safety, occupational health, right-to-know and environmental protection."