



Material Safety Data Sheet

1. Product and Company Identification

Product Code LC
Product Name BRICKFORM® Liquid Color™

Manufacturer BRICKFORM
Address 11061 Jersey Blvd.
City, State, Zip Rancho Cucamonga, CA 91730
Last Updated July 6, 2005

Emergency Phone Chemtrec 800-424-9300
Business Phone 909-484-3399
Business Fax 909-484-3318

2. Composition / Information on Ingredients

Chemical Name	CAS No.	ACGIH TLV	OSHA PEL	STEL
Iron Oxide	1309-37-1	None Est.	None Est.	N/A
Iron Hydroxide	18624-44-7	None Est.	None Est.	N/A
Triiron Tetoxide	1317-61-9	None Est.	None Est.	None Est.

3. Hazards Identification

Emergency Overview

Colored liquid, odor not appreciable.

Signs and Symptoms of Exposure

Ingestion

May cause mild discomfort.

Inhalation

Breathing of the vapor may irritate the nose and throat. Asthma and other respiratory conditions may be aggravated by exposure.

Eyes

May cause irritation, inflammation or abrasion.

Skin

Prolonged and repeated contact can cause discomfort.

Potential Environmental Hazards

N/A

4. First Aid Measures

Ingestion

DO NOT INDUCE VOMITING. Drink two glasses of water and GET MEDICAL ATTENTION.

Inhalation

Remove victim to fresh air. If respiratory symptoms persist or develop, get medical attention.

BRICKFORM

Material Safety Data Sheet

BRICKFORM Liquid Color / LC
Last Updated July 6, 2005

4. First Aid Measures...continued

Eyes

DO NOT RUB. Flush eyes with plenty of water for 15 minutes while holding eyelids open and GET MEDICAL ATTENTION IMMEDIATELY.

Skin

Wash exposed areas with water and then, with soap and water. Remove contaminated clothing and shoes; do not reuse until cleaned. If irritation persists or develops, get medical attention.

5. Fire Fighting Measures

Flash Point N/A

Autoignition Temperature N/A

Lower Explosive Limit N/A

Upper Explosive Limit N/A

Unusual Fire Explosion Hazards

N/A

Extinguishing Media

Not flammable.

Special Fire Fighting Procedures

N/A

6. Accidental Release Measures

Keep people away. Ventilate confined spaces. Open all windows and doors. Flush with water to a tank or an open well-ventilated area. Recover by pumping. Keep product out of sewers, watercourses, and soil by dyking or impounding. Absorb with sand, earth, or other suitable absorbent. Control runoff and isolate discharge material for proper waste-disposal method. Use non-leaking containers, seal tightly, and label properly. Dispose of in accordance with applicable local, county, state, and federal regulations.

7. Handling and Storage

Safe Handling and Storage

DO NOT FREEZE. Store in a cool, dry place with adequate ventilation. Keep containers closed.

8. Exposure Controls and Personal Protection

Engineering controls

N/A

Personal Protective Equipment

Use splash goggles to protect face and eyes. Use gloves and aprons to avoid prolonged or repeated skin contact.

Other Protective Clothing Equipment

N/A

General Work Practices Hygiene Considerations

Avoid prolonged or repeated contact with skin. Use good hygiene when handling this product. Cleanse skin thoroughly after handling and before eating or drinking. Product is easily removed with waterless, hand cleaners followed by washing thoroughly with soap and water. Remove contaminated clothing and launder or dry-clean before reuse. Remove contaminated shoes and thoroughly clean and dry before reuse.

Exposure Guidelines

Please see section 2.

BRICKFORM

Material Safety Data Sheet

BRICKFORM Liquid Color / LC
Last Updated July 6, 2005

9. Physical and Chemical Properties

Physical State	Liquid	Appearance/Color/Odor	Various colors/Not appreciable
Melting Point/Range	N/A	Boiling Point/Range	N/A
Solubility in Water	Insoluble	How to Detect this Compound	N/A
pH	N/A	Specific Gravity (Water = 1)	4.2 TO 5.5
Molecular Weight	N/A	Percent Volatiles	N/A
Vapor Pressure (mmHg)	N/A	Vapor Density (Air = 1)	N/A
VOC	N/A		

10. Stability and Reactivity

Stability Stable
Hazardous Polymerization Will not occur
Conditions To Avoid None

10. Stability and Reactivity (continued)

Materials To Avoid None
Hazardous Decomposition Products None

11. Toxicological Information

N/A

12. Ecological Information

N/A

13. Disposal Considerations

Use non-leaking containers, seal tightly and label properly. Dispose of in accordance with applicable local, county, state, and federal guidelines. Do not dispose in streams, wells, lakes, rivers, oceans, or sewers.

14. Transportation Information

DOT Proper Shipping Name Liquid Cement Color
DOT Hazard Class ID Number Non-hazardous. Not required. Class 55.

15. Regulatory Information

Reportable Quantity N/A

NFPA Rating 0=Insignificant, 1=Slight, 2=Moderate, 3=High, 4=Extreme

Health 1
Flammability 0
Reactivity 0

BRICKFORM

Material Safety Data Sheet

BRICKFORM Liquid Color / LC
Last Updated July 6, 2005

15. Regulatory Information...continued

Carcinogenicity Lists	No
NTP	No
IARC Monograph	No
OSHA Regulated	No

STATE WARNING
N/A

FEDERAL WARNING

Section 313 Supplier Notification: This product contains the following toxic chemical(s) subject to the reporting requirements of SARA TITLE III, Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and of 40 CFR 372:
N/A

16. Other Information

IMPORTANT! Read this MSDS before use or disposal of this product. Pass along the information to employees and any other persons who could be exposed to the product to be sure that they are aware of the information before use or other exposure.

This MSDS has been prepared according to the OSHA Hazard Communication Standard (29 CFR 1910.1200). To the best of our knowledge, the information contained herein is accurate and the information is based on sources believed to be reliable. However, since data, safety standards, and government regulations are subject to change, BRICKFORM makes no warranty, either expressed or implied with respect to the completeness or continuing accuracy of the information contained herein and disclaims all liability for reliance thereon. The data on this sheet is related only to this specific material. It may not be valid for this material if used in combination with any other materials. It is the user's responsibility to determine suitability and completeness of this information with regards to a particular use. Additional information may be necessary or helpful for specific conditions and circumstances of use. Unknown hazards may exist and this material should be used with caution. BRICKFORM assumes no legal responsibility for use or reliance upon this data.